



Albi Protective Coatings
 Hood Products LLC
 18 Mill Street
 Lodi, NJ 07644
 Phone: 973-473-2376
 Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product Identifier Used on the Label: HOODSTRIP 281, 280, 290, 295, 715, 800, 801, 815, 888
Product Code(s): 281XX, 280XX, 290XX, 295XX, 715XX, 800XX, 801XXD, 815XX, 888XX

Recommended Use of the Chemical Mixture: - Paint, Varnish, and Lacquer Remover (Finish Remover)
Restrictions on Use: - Industrial Use Only
Chemical Family: - Paint Related Material

Name, Address, and Telephone Number of the Supplier:
 ALBI PROTECTIVE COATINGS
 HOOD PRODUCTS LLC
 18 Mill Street
 Lodi, NJ 07644, USA
 Phone: (973) 473-2376
 Fax: (973) 473-1648

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical:

Clear, colorless liquid. Sweet ether like odor.

OSHA/HCS Status: This material is classified as hazardous under OSHA regulations (29 CFR 1910.1200)

Hazardous Classification:

- Acute toxicity - Category 4 - Oral
- Skin irritation - Category 2
- Eye irritation - Category 2A
- Carcinogen - Category 2
- Reproductive toxicant - Category 2
- Specific target organ toxicity (single exposure) - Category 3
- Specific target organ toxicity (repeated exposure) - Category 2

WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). WHMIS Classification:

- Class D1B (Materials Causing Immediate and Serious Toxic Effects, Toxic Material)
- Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material)
- Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

GHS label elements:

Hazard pictograms:



Signal Word: Warning

Hazard statements:

- Harmful if swallowed.
- Causes serious eye irritation.
- Causes skin irritation.
- May cause respiratory irritation.
- May cause drowsiness or dizziness.
- Suspected of causing cancer.
- Suspected of damaging the unborn child.
- May cause damage to the liver through prolonged or repeated exposure if ingested.



Albi Protective Coatings
Hood Products LLC
18 Mill Street
Lodi, NJ 07644
Phone: 973-473-2376
Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

Precautionary statements:

General:

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash hands and face thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Wear protective gloves/clothing and eye/face protection.
Impervious clothing, gloves, and face shields should be used.
Use splash-proof safety goggles.
Only use MSHA/NIOSH approved vapor respirators.
Do not breathe mist or vapors.
Use only outdoors or in a well-ventilated area.



Response:

IF EXPOSED: Seek immediate medical attention.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

Store in tightly closed, labeled containers.
Store in a well-ventilated, cool place.

Disposal:

Dispose of contents/container in accordance with federal, state, and local regulations.

The following label information is applicable only to Canada according to the Canadian Controlled Products Regulations (CPR/WHMIS):

Warning! May be harmful or fatal if swallowed. Causes severe eye irritation. Causes skin irritation. May be harmful if inhaled. May cause respiratory irritation. May cause central nervous system depression. Contains material which may cause cancer, based on animal data. May have fetotoxic effects, based on animal studies. Prolonged or repeated overexposure could cause adverse liver effects.

PRECAUTIONS: Use only in well-ventilated areas. Wear chemically resistant protective equipment during handling. Do not ingest. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Avoid contact with incompatible materials. Keep away from extreme heat and direct flame. Wash thoroughly after handling. Keep containers tightly closed when not in use. Store in a cool, dry, well ventilated area.

FIRST AID: If ingested, do not induce vomiting. Rinse mouth thoroughly with water. Seek immediate medical attention/ advice. For skin contact, wash with soap and water while removing contaminated clothing. For eye contact, flush with running water for at least 15 minutes. If irritation persists, seek prompt medical attention. If inhaled, move to fresh air. If breathing stopped, begin artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Get medical advice/attention.

Refer To Safety Data Sheet for further information.



Albi Protective Coatings
 Hood Products LLC
 18 Mill Street
 Lodi, NJ 07644
 Phone: 973-473-2376
 Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Ingestion may cause severe irritation to the mouth, throat and stomach. Symptoms may include severe abdominal pain, nausea and vomiting. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Environmental precautions: Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS #</u>	<u>Concentration</u>
Methylene chloride	75-09-2	80.0 – 90.0
This substance contains the following impurities:		
Methanol	67-56-1	10.0-15.0
n-Hexane	110-54-3	1.0-2.0

Note: The exact concentrations of the above listed chemicals are shown as a range for confidentiality or batch variation.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention.
- Skin contact* : Remove/Take off immediately all contaminated clothing. Wash exposed area thoroughly with soap and water for at least 15 minutes. If skin irritation occurs, get medical advice/attention.
- Eye contact* : Immediately flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

Most important symptoms and effects, both acute and delayed

- : Causes serious eye irritation.
- : Causes skin irritation.
- : May cause respiratory irritation.
- : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- : May cause drowsiness and dizziness.
- : May cause cancer.
- : May damage the unborn child.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable extinguishing media* : Dry chemical, foam, carbon dioxide and water fog.
- Unsuitable extinguishing media* : Do not use water jet, as this may spread burning material.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Not flammable under normal conditions of use. Vapours are heavier than air and collect in confined and low-lying areas. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

- : Non-flammable.



Albi Protective Coatings
Hood Products LLC
18 Mill Street
Lodi, NJ 07644
Phone: 973-473-2376
Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 4 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

- : Not expected to be sensitive to mechanical impact. May be sensitive to static discharge.

Hazardous combustion products

- : Carbon oxides; Chlorine ; Phosgene ;Hydrogen chloride gas; Aldehydes; Unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

- : Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): Methylene chloride (1000 lbs / 454 kg); 1,2-Butylene oxide (100 lbs / 45.4 kg).

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapors or spray mist. Do not ingest. Avoid contact with skin, eyes and clothing. Keep away from incompatibles. Wash thoroughly after handling. Keep containers closed when not in use. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not cut, weld, drill or grind on or near this container. Do not use pressure to empty drums.

Conditions for safe storage

- : Store in a cool, dry, well ventilated area, away from incompatibles. Inspect periodically for damage or leaks. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area.

Incompatible materials

- : Strong oxidizing agents; Amines; Reactive metals; Strong acids.



Albi Protective Coatings
 Hood Products LLC
 18 Mill Street
 Lodi, NJ 07644
 Phone: 973-473-2376
 Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 5 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Methylene chloride	50 ppm	N/Av	25 ppm	125 ppm
Methanol	200 ppm (skin)	250 ppm (skin)	200 ppm	N/Av
n-Hexane	50 ppm (skin)	N/Av	500 ppm	N/Av

Exposure controls:

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

: Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.

Eye / face protection

: Chemical splash goggles must be worn when handling this material.

Other protective equipment

: Depending on conditions of use, an impervious apron should be worn. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. An eyewash station and safety shower should be made available in the immediate working area.

General hygiene considerations

: Do not breathe vapors or spray mist. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after using this product, and before eating, drinking or smoking. Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear to slightly amber liquid or semi paste.

Odour : Sweet ether like odor.

Odour threshold : No information available.

pH : 8.0 - 9.0

Melting/Freezing point : No information available.

Initial boiling point and boiling range : 39.4°C (103°F)

Flash point : None.

Flashpoint (Method) : closed cup

Evaporation rate (BuAe = 1) : 0.35

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.) : 13%

Upper flammable limit (% by vol.) : 23.3%

Oxidizing properties : None known.



Albi Protective Coatings
Hood Products LLC
18 Mill Street
Lodi, NJ 07644
Phone: 973-473-2376
Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 6 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

Explosive properties : Not explosive
Vapor pressure : 403 mmHg @ 20°C / 68°F
Vapor density : 2.9
Relative density / Specific gravity
: 1.20 – 1.25
Solubility in water : slightly soluble
Other solubility(ies) : No information available.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution
: No information available.
Auto-ignition temperature : 662°C (1224°F)
Decomposition temperature : No information available.
Viscosity : No information available.
Volatiles (% by weight) : 100%
Volatile organic Compounds (VOC's)
: 1260 g/L (10.5 lbs/gal)
Absolute pressure of container
: Not applicable.
Flame projection length : Not applicable.
Other physical/chemical comments
: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : May hydrolyze very slowly in the presence of water to form acids.
Chemical stability : Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
: Hazardous polymerization will not occur.
Conditions to avoid : Avoid heat and open flame. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials : Strong oxidizing agents; Amines; Reactive metals; Strong acids.
Hazardous decomposition products
: Hydrochloric acid. Refer to Section 5 for additional 'Hazardous combustion products'.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption
: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation : May be harmful if inhaled. May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. May result in unconsciousness and possibly death.



Albi Protective Coatings
Hood Products LLC
18 Mill Street
Lodi, NJ 07644
Phone: 973-473-2376
Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

Sign and symptoms ingestion

: Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May produce mild central nervous system depression characterized by headache, nausea, vertigo, and stupor.

Sign and symptoms skin

: Causes severe skin irritation. Symptoms may include redness and possibly blistering, if product is left on the skin. May be absorbed and cause symptoms similar to those for inhalation.

Sign and symptoms eyes

: May cause moderate to severe irritation. Symptoms may include stinging and tearing.

Potential Chronic Health Effects

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. Some reports have associated repeated, prolonged overexposure to solvents with permanent central nervous system changes.
This product contains a chemical at low concentrations that may cause the following effects: Prolonged overexposure may cause peripheral neuropathy, damage to the nerves of the hands and feet.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012).
Classification: Carcinogen - Category 2
This product contains Methylene chloride, which is classified as possibly carcinogenic by IARC (Group 2B), the ACGIH (Category A3) and the NTP. Contains: 1,2-Butylene oxide. 1,2-Butylene oxide is classified as possibly carcinogenic by IARC (Group 2B).

Reproductive effects & Teratogenicity

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012).
Classification: Reproductive toxicant - Category 2
Contains Methanol. Methanol may cause fetotoxic and teratogenic effects at doses which are not maternally toxic, based on animal data.

Senitization to material

: No data available to indicate product or components may be respiratory sensitizers. No data available to indicate product or components may be skin sensitizers.

Specific target organ effects

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012).
Classification: Specific target organ toxicity - single exposure - Category 3
May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure - Category 2
May cause damage to the liver through prolonged or repeated exposure if ingested. This product contains: Methylene chloride

Irritancy

: Irritating to eyes, respiratory system and skin.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: The calculated ATE values for this mixture are:
ATE oral = 1433 mg/kg
ATE dermal = 2559 mg/kg

See below for individual ingredient acute toxicity data.



Albi Protective Coatings
 Hood Products LLC
 18 Mill Street
 Lodi, NJ 07644
 Phone: 973-473-2376
 Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 8 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

<u>Chemical Name</u>	<u>LC50(4hr)</u> <u>(Inhalation, rat)</u>	<u>LD50</u>	
		<u>(Oral, rat)</u>	<u>(Dermal, rabbit)</u>
Methylene chloride	77.01 mg/L / 22,170ppm	1400 mg/kg	> 2000 mg/kg
Methanol	4.1 mg/L / >5000 ppm/6H	300 - 1000 mg/kg (Humans)	>393 mg/kg (Monkey)
n-Hexane	135.7 mg/L / 38,500ppm	28,670 mg/kg	> 3295 mg/kg

Other important toxicological hazards

- : Reports have associated repeated and prolonged occupational overexposure to various organic solvents with internal organ, brain, and nervous system damage.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

- : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains halogenated hydrocarbons. Contains: Methylene chloride. This product contains the following substance which may also be hazardous for the environment: Methanol; n-Hexane.
 The acute toxicity of Methylene chloride is (IUCLID):
 Toxicity to fish - LC50/96h/Fathead minnows = 193 mg/L
 NOEC Fish - 83 mg/L/28 days
 Toxicity to daphnia - EC50/48h/daphnia = 27 mg/L
 NOEC Daphnia - 6.2 - 13.3 mg/L (estimated)
 Toxicity to algae - EC50/96h/green algae = 662 mg/L
 NOEC Green algae - 56mg/L/96hr
 The acute toxicity of methanol is (IUCLID):
 Toxicity to fish - LC50/96h/Fathead minnows = 15,400 mg/L
 Toxicity to daphnia - EC50/48h/daphnia = > 10,000 mg/L
 Toxicity to algae EC50/ estimated = >1000 mg/L
 The acute toxicity of n-Hexane is (literature);
 Toxicity to fish - LC50/96h/Fathead minnows = 2.5 mg/L
 Toxicity to daphnia - EC50/48h/daphnia = 3.9 mg/L
 Toxicity to algae - EC50/96h/green algae = 0.89 mg/L
 NOEC Fish - 2.8 mg/L/28 days
 NOEC Daphnia - 4.9 mg/L/21 days

Persistence and degradability

- : No data is available on the product itself. Contains: Methylene chloride; Methanol; n-Hexane.
 Methylene chloride is not considered to be readily biodegradable. n-Hexane is considered to be readily biodegradable. Methanol is readily biodegradable. 1,2-Butylene oxide is readily biodegradable.

Bioaccumulation potential

- : No data is available on the product itself. Contains: Methylene chloride; n-Hexane; 3-Methylpentane .
 The log Kow value for Methylene chloride is 1.24, and its Bioconcentration factor (BCF) is 6.4 - 40. The log Pow value for n-Hexane is 4. The log Kow value for 3-Methylpentane is 3.6, and its Bioconcentration factor (BCF) is 131. The log Kow value for Methanol is -0.77, and its Bioconcentration factor (BCF) is <10. The log Kow value for 1,2-Butylene oxide is 0.68, and its Bioconcentration factor (BCF) is 1 - 17.

Mobility in soil

- : No data is available on the product itself.

Other Adverse Environmental effects

- : No data is available on the product itself.



Albi Protective Coatings
 Hood Products LLC
 18 Mill Street
 Lodi, NJ 07644
 Phone: 973-473-2376
 Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 9 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

SECTION 13. DISPOSAL CONSIDERATIONS

- Handling for Disposal:** Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not cut, weld, drill, or grind on or near this container.
- Methods of Disposal:** Dispose in accordance with all applicable federal, state, provincial, and local regulations. Contact your local, state, provincial, or federal environmental agency for specific rules.
- RCRA:** If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state, and federal environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1593	DICHLOROMETHANE MIXTURE	6.1	III	
TDG Additional information	Within Canada, the Limited Quantity Exemption may apply for containers which hold specific quantities of the product. Under the TDGR, refer to section 1.17 for Limited Quantity Exemption information, if shipping under this exemption.				
49CFR/DOT	UN1593	DICHLOROMETHANE MIXTURE	6.1	III	
49CFR/DOT Additional information	For shipments by ground within the United States, the Limited Quantity exception may apply. Refer to 49CFR section 173.153 for additional information.				

- Special precautions for user** : Appropriate advice on safety must accompany the package.
- Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
 : This information is not available.

SECTION 15. REGULATORY INFORMATION

US Federal Information:

- TSCA:** All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.
This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.
- CERCLA Reportable Quantity (RQ) (40 CFR 117.302):** Methylene chloride (1000 lbs / 454 kg)
 1,2-Butylene oxide (100 lbs / 45.4 kg).
- SARA TITLE III:** Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.
- SARA TITLE III:** Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.
- SARA TITLE III:** Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: Methylene chloride; 1,2-Butylene oxide.



Albi Protective Coatings
Hood Products LLC
18 Mill Street
Lodi, NJ 07644
Phone: 973-473-2376
Fax: 973-473-1648



HOODSTRIP BRAND FINISH REMOVERS

Page 10 of 10

SDS Issue Date: 12/19/2015

SAFETY DATA SHEET

California Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Contains: Methylene chloride. This product contains trace amounts of: Toluene.

Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information:

Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.

International Information:

European EINECs information: All ingredients listed appear on the European EINECs inventory.

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
AIHA: American Industrial Hygiene Association
ATE: Acute Toxicity Estimate
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
Inh: Inhalation
IUCLID: International Uniform Chemical Information Database
LC: Lethal Concentration
LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
MSHA: Mine Safety and Health Administration
N/Ap: Not Applicable
N/Av: Not Available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NJ: New Jersey
NOEC: No Observable Effect Concentration
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible Exposure Limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WEEL: Workplace Environmental Exposure Level
WHMIS: Workplace Hazardous Materials Identification System

DISCLAIMER:

The information and recommendations contained in this Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards (OSHA) Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof. However, Albi Protective Coatings and Hood Products LLC disclaim all expressed or implied warranties. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The user assumes all risk of use, storage, and handling of the product in compliance with applicable federal, state, and local laws and regulations. The user is responsible to determine the conditions necessary for the safe use of this product. The user should not use the product for any purpose other than the purpose shown in this SDS.